## Github

อ.ดร.วัชรินทร์ สาระไชย



# เนื้อหา

- Git Workflows
- Feature Branches
- Centralized Workflow
- > Pull Requests
- Fork & Clone: Another Workflow
- Summarize



### Git Workflows

for collaboration



#### Centralized Workflow

- ทุกคนสามารถทำงานบน Master/Main branches
- ขั้นตอนการทำงานร่วมกันที่ง่ายที่สุดคือให้ทุกคนทำงานบน master branch (หรือ main, หรือ branch อันใดอันหนึ่ง).
- > การทำงานแบบนี้ตรงไปตรงมาและสามารถทำงานให้กับทีมเล็กๆ ได้










### Pamela clones the repo












### David clones the repo














Forrest clones the repo
















Forrest gets to work on a new feature! Adding and Committing all day long!






















Pamela has also been hard at work on her own new feature.















She tries to **push** her new work up to Github, but she runs into trouble!





Failed to push. Updates were rejected because the tip of your current branch is behind its remote counterpart. Merge the remote changes (e.g. 'git pull') before pushing again.


















He'd like to share his commits with the rest of the team to start a discussion.










Before he can even share these iffy commits, he has to **pull** from Github and **merge** them in to master










Now he can finally push his work up to Github. His teammates can pull to get his new commits.



#### The Problem

- While it's nice and easy to only work on the master branch, this leads to some serious issues on teams!
  - Lots of time spent resolving conflicts and merging code, especially as team size scales up.
  - No one can work on anything without disturbing the main codebase. How do you try adding something radically different in? How do you experiment?
  - The only way to collaborate on a feature together with another teammate is to push incomplete code to master. Other teammates now have broken code...



Enter Feature Branches

DON'T WORK ON MASTER SILLY GOOSE!





#### Feature Branches

- Rather than working directly on master/main, all new development should be done on separate branches!
  - Treat master/main branch as the official project history
  - Multiple teammates can collaborate on a single feature and share code back and forth without polluting the master/main branch
  - Master/main branch won't contain broken code (or at least, it won't unless someone messes up)











Forrest clones the repo













Pamela clones the repo













David clones the repo













David starts work on a new feature. He does all this work on a separate branch!













David wants Pamela to take a look at his new feature. Instead of merging it into master, he just pushes his feature branch up to Github!













Pamela is hard at work on her own new feature. Just like everyone else, she's working on a separate feature branch rather than master.













Pamela hears from David that he wants her to take a look at his new work. She pulls down his feature branch from Github.




























Pamela pushes up her new work on the add-dark-theme feature branch so that David can pull them down.













David returns to work the next morning. After an hour on reddit he decides he should actually do some work.













David fetches from Github and sees that there is new work on the adddark-theme branch. He pulls the changes down and continues work.













David decides he is happy with the new feature, so he merges it into master!






\*At a real company, you don't just decide you are "happy with" a feature. There are mechanisms for code approval and merging we'll discuss shortly!








David pushes up the updated master branch to Github. The others can now pull down the changes.





### Feature Branch Naming

- There are many different approaches for naming feature branches. Often, you'll see branch names that include slashes like bug/fix-scroll or feature/login-form or feat/button/enable-pointer-events
- Specific teams and projects usually have their own branch naming conventions. To keep these slides simple and concise, I'm just going to ignore those best practices for now.






### Merging In Feature Branches

- At some point new the work on feature branches will need to be merged into the master branch!

  There are a couple of options for how to do this...
  - 1. Merge at will, without any sort of discussion with teammates. JUST DO IT WHENEVER YOU WANT.
  - 2. Send an email or chat message or something to your team to discuss if the changes should be merged in.
  - 3. Pull Requests!





### Pull Requests

- Pull Requests are a feature built into products like Github & Bitbucket. They are not native to Git itself.
- They allow developers to alert team-members to new work that needs to be reviewed. They provide a mechanism to approve or reject the work on a given branch. They also help facilitate discussion and feedback on the specified commits.


"I have this new stuff I want to merge into the master branch...what do you all think about it?"


#### The Workflow

- 1. Do some work locally on a feature branch
- 2. Push up the feature branch to Github
- 3. Open a pull request using the feature branch just pushed up to Github
- 4. Wait for the **PR** to be approved and merged. Start a discussion on the **PR**. This part depends on the team structure.





I push my feature branch up to Github, so that I can open a Pull Request







# My Github







# My Github






# My Github







My boss leaves some feedback for me. She asks me to make a couple changes before she merges the pull request.



I can respond! We can discuss and give feedback!




Once I make the requested changes, my boss (or whoever is in charge of merging) can merge in my pull request!




Once I make the requested changes, my boss (or whoever is in charge of merging) can merge in my pull request!

The above text will be used in the resulting merge commit.



The changes from the my-new-feature branch have now been merged into the master branch!!!



Just like any other merge, sometimes there are conflicts that need to be resolved when merging a pull request. This is fine. Don't panic.

You can perform the merge and fix the conflicts on the command line like normal, or you can use Github's interactive editor.

# My Boss's Local Machine

My boss can merge the branch and resolve the conflicts locally...

Switch to the branch in question. Merge in master and resolve the conflicts.

```
> git fetch origin
> git switch my-new-feature
> git merge master
> fix conflicts!
```

Switch to master. Merge in the feature branch (now with no conflicts). Push changes up to Github.

```
> git switch master

> git merge my-new-feature

> git push origin master
```

# Don't Worry

Github Gives You Instructions If You Forget What To Do!







#### Continuous integration has not been set up

GitHub Actions and several other apps can be used to automatically catch bugs and enforce style.



#### This branch has no conflicts with the base branch

Merging can be performed automatically.

Merge pull request





#### ✓ Create a merge commit

All commits from this branch will be added to the base branch via a merge commit.

#### Squash and merge

The 3 commits from this branch will be combined into one commit in the base branch.

#### Rebase and merge

The 3 commits from this branch will be rebased and added to the base branch.

H B I  $\sqsubseteq \Leftrightarrow \varnothing$   $\boxminus \sqsubseteq \trianglerighteq \varnothing$   $\circledcirc \circlearrowleft \hookrightarrow \lnot$ 

When merging, we can perform a Squash & Merge which will reduce all the commits from the feature branch down into a single commit on master.

isting them.




Comment

M↓

i Remember, contributions to this repository should follow our GitHub Community Guidelines.

My boss can also decide to close my PR instead :(



### Recap-ing Pull Requests

- Pull Requests are a fancy way of requesting changes from one branch be merged into another branch.
- Tools like **Github** & **Bitbucket** allow us to generate pull requests via an online interface. Team members can then view the changes and decide to merge them in or reject them. PR's also provide a place to discuss the changes and provide feedback.



#### Fork & Clone: Another Workflow

- The "fork & clone" workflow is different from anything we've seen so far. Instead of just one centralized Github repository, every developer has their own Github repository in addition to the "main" repo. Developers make changes and push to their own forks before making pull requests.
- It's very commonly used on large open-source projects where there may be thousands of contributors with only a couple maintainers.




### Forking

- Figure 6 Github (and similar tools) allow us to create personal copies of other peoples' repositories. We call those copies a "fork" of the original.
- When we fork a repo, we're basically asking Github "Make me my own copy of this repo please"
- As with pull requests, forking is not a Git feature. The ability to fork is implemented by Github.





## This repo is not mine. I want a copy!




#### I click the "fork" button







#### Now I have my very own copy!





# The original repo...

□ aapatre / Automatic-Udemy-Course-Enroller-GET-PAID-UDEMY-COURSES-for-FREE

# My newly-created fork...

forked from aapatre/Automatic-Udemy-Course-Enroller-GET-PAID-UDEMY-COURSES-for-FREE



#### Now What?

- Now that I've forked, I have my very own copy of the repo where I can do whatever I want!
- I can clone my fork and make changes, add features, and break things without fear of disturbing the original repository.
- If I do want to share my work, I can make a pull request from my fork to the original repo.













Pamela is hard at work on her own new feature. Just like everyone else, she's working on a separate feature branch rather than master.











# My Local Machine

I make a clone of my forked repository so that I can start working on it locally









# My Local Machine

When we clone a repo, Git automatically adds a remote called **origin** that points to our forked repo on Github.







## My Local Machine

Next, I add a remote pointing to the original project repo (NOT the fork). This remote can be named anything, but you'll often see "upstream" or "original" used.








# My Local Machine

I do some new work locally. Normally, I would work on a feature branch, but only to keep the diagrams simpler I'm not going to!






# My Local Machine

To share my changes with others, I cannot push to upstream. I don't have permission!
But I can **push to origin** (my Github fork)



Next, I can make a pull request from my fork on Github to the original project repository






# My Local Machine



Now I wait to hear from the project maintainers! Do they want me to make further changes? It turns out they accept and merge my pull request! Woohoo!






Pull Request Accepted!!!

# My Local Machine



The next day, I get back to work. The official project repo now contains work done by other collaborators. I don't have their new work on my machine! I'm behind!



My Local Machine






The Official Project Repo

# My Local Machine

All I need to do is **pull from upstream** (the original repo) to get the latest changes in my local repo.








# My Local Machine

Now I have the latest changes from the upstream repo! I can work on some new features locally without working about being out of date.





#### To Summarize!

- I fork the original project repo on Github
- I clone my fork to my local machine
- I add a remote pointing to the original project repo. This remote is often named upstream.
- I make changes and add/commit on a feature branch on my local machine
- I push up my new feature branch to my forked repo (usually called origin)
- I open a pull request to the original project repo containing the new work on my forked repo
- Hopefully the pull request is accepted, and my changes are merged in!



### An Even Briefer Summary

- 1. FORK THE PROJECT
- 2. CLONE THE FORK
- 3. ADD UPSTREAM REMOTE
- 4. DO SOME WORK
- 5. PUSH TO ORIGIN
- 6. OPEN PR

